



PEN LIGHT

EXPN.AAA.Y - EXPN.AAA.B

Unit Information

Model #: EXPN.AAA.Y (Yellow)
EXPN.AAA.B (Black)
EAN 13: 8024482011479 (Yellow)
8024482011486 (Black)

Master Pack Dimensions

Master Pack Dimensions
Weight: 620 gr. / 1 lbs. 6 oz
Cube: 0.005 m³ / .18 ft³
Cube Dimensions: 28 x 13 x 15 cm.
10 15/16" x 4 15/16" x 5 3/4"
Quantity: 12 pcs. in a box

Specifications

Power Source: 1 AAA Cell (included)
Bulb/Lamp: Xenon Z1M Bulb Module
Bulb/Lamp Life: 15 Hours
Light Output: 1.53 lumens / 5,000 Beam
Candlepower
Weight (Without batteries): 15 gr. / .50 oz
Approx. burn time during continuous use: 90 min.

Components

Lens: Polycarbonate w/ TPE Cover
Reflector: Polycarbonate
Tube: ABS
Contact Strip: Spring Brass

Unit Dimensions

Length: 7.0 cm / 2.75 in.
Width: 2.16 cm / .85 in. at head
Height: N/A

Accessories Available

EXCP.01 - HELMET CLIP

Safety Approvals

UL: Class I Div 2 Group A,B,C,D
Class II Div 2 Group G
Operating Temp Code T5

Product Features

- Waterproof
- Submersible to 150 m / 500ft
- UL Division 2 Listed
- Xenon Bulb Module
- 1.53 lumens / 5,000 Candle Power
- Limited Lifetime Warranty
- Pre-focused spot beam
- Key Ring
- Pocket Size

EXPLIGHT FLASHLIGHTS by GT LINE

Via Del Lavoro 50/52 40056 Crespellano, (Bo) Italy
Tel. +39 051 65041 Fax +39 051 734925
www.gtline.com email: sales@gtline.com



PEN LIGHT **EXPN.2AAA.Y - EXPN.2AAA.B**

Unit Information

Model #: EXPN.2AAA.Y (Yellow)
EXPN.2AAA.B (Black)
EAN 13: 8024482011349 (Yellow)
8024482011356 (Black)

Master Pack Dimensions

Weight: 1.90 kg / 4 lbs. 3 oz
Cube: 0.03m³ / 1.03 ft³
Light w/ Bender Box Dim: 20 x 14 x 27 cm
8" x 5.375" x 10.5"
Quantity: 12 pcs. in a box

Specifications

Power Source: 2 AAA Cell Batteries (included)
Bulb/Lamp: Xenon Z2M Bulb Module
Bulb/Lamp Life: 20 Hours
Light Output: 8.8 Lumens / 10,000 Beam
Candlepower
Weight (Without batteries): 20 gr./ .64 oz
Replacement Bulb: Z2M
Approx. Burn Time during continuous use: 3 h.
Approx. Burn Time during intermittent use: 4 h.

Components

Lens: Polycarbonate with TPE cover
Reflector: Polycarbonate
Tube: Super Tough Nylon
Contact Strip: Spring Brass

Unit Dimensions

Length: 11.43 cm / 4.50 in.
Width: 2.16 cm / .85 in. at head
Height: N/A

Accessories Available

EXCP.01 - HELMET CLIP

Safety Approvals



II 2 G Eex ib e IIB T3 ATEX

Product Features

- Waterproof
- Submersible to 150 m / 500 feet
- Passes 9 m / 30 foot drop onto concrete
- Pocket Size
- Xenon Bulb Module
- 8.8 Lumens / 10,000 Candle Power
- Limited Lifetime Warranty
- Includes light bender add on

EXPLIGHT FLASHLIGHTS by GT LINE

Via Del Lavoro 50/52 40056 Crespellano, (Bo) Italy
Tel. +39 051 65041 Fax +39 051 734925
www.gtline.com email: sales@gtline.com



FLASHLIGHT

EXFL.2AA.Y - EXFL.2AA.B

Unit Information

Model #: EXFL.2AA.Y (Yellow)
EXFL.2AA.B (Black)
EAN 13: 8024482011349 (Yellow)
8024482011356 (Black)

Master Pack Dimensions

Weight: 1.4 kg 3 lbs.
Cube: 0.03 m³ / 1.03 ft³
Cube Dimensions: 25 x 14.5 x 27 cm.
10.06" x 5.625" x 10.5"
Quantity: 12 pcs.

Specifications

Power Source: 2 AA Cells (included)
Bulb/Lamp: Xenon
Bulb/Lamp Life: 15 Hours
Light Output: 11.75 Lumens / 13,000 Beam
Candlepower
Weight (Without batteries): 65 gr. / 2.2 oz.
Replacement Bulb: XPR2AA
Approximate Burn time during continuous use: 3
hours 30 min.
Approximate Burn time during intermittent use: 4
hours 30 min.

Components

Lens: Polycarbonate with Thermoplastic Elastomer
Reflector: Ultem 1000
Tube: Super Tough Nylon
Contact Strip: Spring Brass
Switch Boot: Thermoplastic Elastomer (TPE)

Unit Dimensions

Length: 17 cm. / 6.65"
Width: 3.6 cm / 1.42"
Height: 3.5 cm / 1.4"

Accessories Available

EXCP.01 - HELMET CLIP

Safety Approvals



II 2 G Eex ib e IIB T3 ATEX

Product Features

- ATEX Certified
- Non-Conductive
- Passes 9 m. / 30 foot drop onto concrete
- 11.75 Lumens / 13,000 Candle Power
- Pushbutton Switch
- Pre-focused spot beam
- Key Ring
- Lifetime Limited Warranty
- Xenon Bulb
- Submersible to 30 m. / 100ft
- Pocket size
- Fits Helmet Clips

EXPLIGHT FLASHLIGHTS by GT LINE

Via Del Lavoro 50/52 40056 Crespellano, (Bo) Italy
Tel. +39 051 65041 Fax +39 051 734925
www.gtline.com email: sales@gtline.com



FLASHLIGHT EXFL.2C.Y - EXFL.2C.B

Unit Information

Model #: EXFL.2C.Y (Yellow)
EXFL.2C.B (Black)
EAN 13: 8024482011363 (Yellow)
8024482011370 (Black)

Master Pack Dimensions

Weight: 2.3 kg. / 5 lbs. .4 oz.
Cube: 0.03 m³ / 1.03 ft³
Cube Dimensions: 40 x 16 x 27 cm.
15.875" x 6.375" x 10.5"
Quantity: 12 pcs.

Specifications

Power Source: 2 C Cell
Bulb/Lamp: Xenon
Bulb/Lamp Life: 15 Hours
Light Output: 22 Lumens / 30,000 Beam
Candlepower
Weight (Without batteries): 190 gr. / 6.7 oz.
Replacement Bulb: XPR2C
Approximate Burn time during continuous use: 5
hours 40 min.
Approximate Burn time during intermittent use:
6 hours 30 min.

Components

Contact Strip: Brass
Lanyard: Braided Nylon (Black)
Belt Clip: Super-Tough Nylon
Switch Boot: Thermoplastic Elastomer (TPE)
Tube: Super-Tough Nylon
Lens: Polycarbonate with Thermoplastic Elastomer
Reflector: Ultem 1000

Unit Dimensions

Length: 17 cm / 6.7"
Width: 6 cm / 2.34"
Height: N/A

Safety Approvals



II 2 G Eex ib e IIB T3 ATEX

Product Features

- ATEX Certified
- Non-Conductive
- Passes 9 m. / 30 foot drop onto concrete
- 22 Lumens / 30,000 Candlepower
- Pushbutton Switch
- Pre-focused spot beam
- Key Ring, Lanyard, and Belt Clip Standard
- Lifetime Limited Warranty
- Xenon Bulb
- Submersible 30 m. / 100ft

EXPLIGHT FLASHLIGHTS by GT LINE

Via Del Lavoro 50/52 40056 Crespellano, (Bo) Italy
Tel. +39 051 65041 Fax +39 051 734925
www.gtline.com email: sales@gtline.com



FLASHLIGHT EXFL.3C.Y - EXFL.3C.B

Unit Information

Model #: EXFL.3C.Y (Yellow)
EXFL.3C.B (Black)
EAN 13: 8024482011387 (Yellow)
8024482011394 (Black)

Master Pack Dimensions

Weight: 3.46 kg / 7 lbs. 10 oz
Cube: 0.03 m³ / 1.03 ft³
Cube Dimensions: 40 x 16 x 27 cm
15.875" x 6.375" x 10.5"
Quantity: 12 pcs.

Specifications

Power Source: 3 C Cell (not included)
Bulb/Lamp: XPR3
Bulb/Lamp Life: 30 Hours
Light Output: 25.6 Lumens / 50,000 Beam
Candlepower
Weight (W/o batteries): 180 gr. / 6.34 oz
Weight (w/ batteries): 460 gr. / 16.3 oz
Burn Time (continuous) 5 hours

Components

Lens Ring: Super-Tough Nylon w/ TPE
Lens: Polycarbonate
Reflector: Ultem 1000
Tube: Super-Tough Nylon
Contact Strip: Spring Steel
Lanyard: Braided Nylon (Black)
Belt Clip: Super-Tough Nylon

Unit Dimensions

Length: 21.92 cm / 8.63 in.
Width: 5.91 cm / 2.33 in. at head
Height: N/A

Safety Approvals

UL: Class I, Division 1, Group D
Operating Temp Code: T3A

UL&CSA: Class I, Division 2, Group A, B, C, D
Class II, Division 2, Group G
Operating Temp Code: T3

Product Features

- Submersible to 30 m. / 100ft
- Non Conductive
- Limited Lifetime Warranty
- Passes 9 m. / 30 feet drop onto concrete
- Waterproof
- Pushbutton Switch
- Pre-focused spot beam
- 25.6 Lumens / 50,000 Candlepower, 5 hr continuous w/ alkaline batteries
- Key Ring, Lanyard, and Belt Clip Standard

EXPLIGHT FLASHLIGHTS by GT LINE

Via Del Lavoro 50/52 40056 Crespellano, (Bo) Italy
Tel. +39 051 65041 Fax +39 051 734925
www.gtline.com email: sales@gtline.com



FLASHLIGHT EXFL.4AA.Y - EXFL.4AA.B

Unit Information

Model #: EXFL.4AA.Y (Yellow)
EXFL.4AA.B (Black)
EAN 13: 8024482011400 (Yellow)
8024482011417 (Black)

Master Pack Dimensions

Weight: 2.0 kg / 4 lbs. 7 Oz.
Cube: .03 m³ / 1.03 ft³
Cube Dimensions: 36.5 x 13.5 x 27 cm
14.375" x 5.375" x 10.5"
Quantity: 12 pcs.

Specifications

Power Source: 4 AA Cell (included)
Bulb/Lamp: Xenon
Bulb/Lamp Life: 30 Hours
Light Output: 37 Lumens / 35,000 Beam
Candlepower
Weight (Without batteries): 90 gr. / 3.1 oz.
Weight (With Batteries): 172 gr. / 6.1 oz.
Approximate Burn time at continuous use: 4 hours
Approximate Burn time at intermittent use: 5 hours

Components

Lens: Polycarbonate with TPE cover
Reflector: Polycarbonate
Tube: Super-Tough Nylon
Contact Strip: Spring Brass

Unit Dimensions

Unit Dimensions
Length: 16.40 cm / 6.47"
Width: 4.50 cm / 1.76"
Height: N/A

Accessories Available

EXCP.02 - HELMET CLIP

Safety Approvals



II 2 G Eex ib e IIB T3 ATEX

Product Features

- ATEX certified
- Non-Conductive
- Passes 9 m. / 30 foot drop onto concrete
- 37 Lumens / 35,000 Candle Power
- Pushbutton Switch
- Spot to Flood Focus
- Key Ring
- Lifetime Limited Warranty
- Xenon Bulb
- Submersible to 30 m. / 100ft
- Pocket Size
- Fits Helmet Clips

EXPLIGHT FLASHLIGHTS by GT LINE

Via Del Lavoro 50/52 40056 Crespellano, (Bo) Italy
Tel. +39 051 65041 Fax +39 051 734925
www.gtline.com email: sales@gtline.com



HEADLAMP EXHL.4AA.Y - EXHL.4AA.B.L

Unit Information

Model #: EXHL.4AA.Y (Yellow / cloth strap)
EXHL.4AA.B.L (Black w/ Led Bulb/
rubber strap)

EAN 13: 8024482011424 (Yellow)
8024482011431 (Black)

Master Pack Dimensions

Weight: 2.0 kg / 4 lbs. 7 Oz.
Cube: 0.03 m³ / 1.03 ft³
Cube Dimensions: 33 x 47 x 19 cm
12 7/8" x 18 5/16" x 7 3/8"
Quantity: 12 pcs.

Specifications

Power Source: 4 AA Cell (not included)
Bulb/Lamp: Xenon or Led
Weight (Without batteries): 90 gr. / 3.1 oz.

Xenon Bulb/Lamp Life: 30 Hours
Approximate burn time at continuous use: 4 hours*
Light Output with Xenon Bulb: 37 Lumens / 35,000
Beam Candlepower

LED Bulb/Lamp Life: 10,000 Hours
Approximate burn time at continuous use: 50
hours*

Components

Lens: Polycarbonate with Over-Mold TPE Rubber
Reflector: Ultem 1000
Tube: Super Tough Nylon
Switch Boot: TPE Rubber
Strap: Cloth in model EXHL.4AA.Y
Rubber in model EXHL.4AA.B.L

Unit Dimensions

Length: 8.25 cm / 3.25"
Width: 8.40 cm / 3.3"
Height: 6.35 cm / 2.5"

Safety Approvals

EXHL.4AA.Y



II 2 G Eex ib e IIB T3 ATEX

EXHL.4AA.B.L

UL, CUL & CSA:

Class I, Division 2, Group A,B,C,D
Class II, Division 2, Group G
Operating Temp Code: T3

MSHA: Approved for use as mining
equipment

Product Features

- ATEX certified
- Pushbutton Switch
- Xenon or LED bulb
- 37 Lumens / 35,000 Candle Power
w/ Xenon bulb
- Lifetime Limited Warranty
- Spot to flood focus
- Submersible to 30 m. / 100 ft
- Cloth or rubber strap

*with 4AA alkaline batteries